

Path Concept House

2503 Parker Street,
Omaha, NE 68111.

Torti Gallas and Partners, Inc.
1300 Spring Street,
4th Floor
Silver Spring, MD 20910
301.588.6800
www.tortigallaschl.com

Owner
Brighton Construction Co
Phone: 402.434.2456
Fax: 402.434.2458
1941 K Street
Lincoln, NE 68510

Project Management
Newport Partners LLC
Phone: 301.688.0017
Fax: 301.688.0018
5780 Tanglewood Lane
Davidsonville, MD 21035
www.Newportpartnersllc.com

These construction documents were prepared specifically for the project site located at 2503 Parker Street, Omaha, NE. Subsequent use and/or modification of these documents for any project is strictly prohibited unless the documents are reviewed, modified and sealed by a registered architect in the jurisdiction of the proposed project for code compliance, constructability and site adaptation; the project is a HUD project; and, all users and the registered architect agree to defend, indemnify, and hold harmless Torti Gallas And Partners, Inc., its successors and the past, present and future employees of all of them, from all claims, losses, damages, judgments, cost, including reasonable attorney fees, and expenses that relate to or arise, in any way, out of the use or modification of the documents for other projects. Torti Gallas And Partnership, Inc. retains all common law and statutory copyrights in these documents and their content. Any copying, use or modification of these documents without strict adherence to these conditions will be prosecuted as a violation of these copyrights.

Key Plan

Revisions






No. 01 Date 11/24/06
General Revisions

Window & Door Schedules









Date
10/31/06
Principal In Charge
B.K.
Project Designer
M.B.
Project Architect.
F.S.
Drawn
B.K.; F.S.
Job No.
05127.03
Scale
1/4" = 1' - 0"
Drawing No.

A702

DOOR AND FRAME SCHEDULE																
OPENING						DOOR					FRAME			REMARKS		
DOOR NUMBER	LOCATION	FIRE RATING IN MINUTES	HARDWARE GROUP	SPRING HINGES	CLOSER	MATERIAL	DOOR TYPE	GLASS TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	THRESHOLD			
FIRST FLOOR																
E1	FRONT ENTRY	N	H1	N	N	STL	P2	NA	3'-0"	6'-8"	1-3/4"	WD	TAE	1, 2		
E2	PORCH ENTRY	N	H1	N	Y	STL	P2	NA	3'-0"	6'-8"	1-3/4"	WD	TAE	1, 2		
P1	DECK	N	H1	N	N	STL	PR-FG4	TIG	PR-3'0"	6'8"	1-3/4"	WD	TAE	1, 2		
G1	GARAGE TO HOUSE	20	H1	Y	N	STL	P2	NA	3'-0"	6'-8"	1-3/4"	WD	TAE			
G2	GARAGE	N	NA	N	N	STL	OHSP	N	8'0"	7'-0"	1-3/4"	WD	NA			
G3	GARAGE	N	NA	N	N	STL	OHSP	N	8'-0"	7'-0"	1-3/4"	WD	NA			
WD1	LAUNDRY	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
BR1	POWDER ROOM	N	H3	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
C1	POWDER ROOM	N	NA	N	N	HC	PR-BP2	N	2'-6"	6'-8"	1-3/8"	WD	NA			
ST1	STAIRS TO BSMT	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
SECOND FLOOR																
B1	MASTER BEDROOM	N	H2	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
B2	BEDROOM #2	N	H2	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
B3	BEDROOM #1	N	H2	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
B4	BONUS ROOM	N	H2	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	TAE	INSULATED DOOR		
F1	FLEX ROOM	N	NA	N	N	HC	SP2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
BR2	MASTER BATH	N	H3	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	TM			
BR3	HALL BATH	N	H3	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	TM			
C2	MSTR.BDRM. CLOSET	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
C3	BDRM #2 CLOSET	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
C4	BDRM #1 CLOSET	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
OPTIONAL FINISHED BASEMENT																
B5	OPT. BEDROOM	N	H2	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	NA			
BR4	OPT. BATH	N	H3	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	TM			
C5	STORM RM./OPT CLO.	N	H2	N	N	STL	P2	N	2'-10"	6'-8"	1-3/4"	STL	NA	SEE STORM ROOM REQUIREMENTS		
C6	OPT. REC. RM. CLO.	N	H5	N	N	HC	PR-P2	N	2'-6"	6'-8"	1-3/8"	WD	NA			
M1	OPT. MECH. CLO.	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	TM			
EV1	OPT. ELEVATOR	N	H4	N	N	HC	P2	N	2'-10"	6'-8"	1-3/8"	WD	TM			

DOOR TYPES																
<div><div><p>P2 2 PANEL</p></div><div><p>BP2 2 PANEL BI-PASS</p></div><div><p>SP2 2 PANEL SLIDING</p></div><div><p>FG4 FULL GLASS 4 LITES</p></div><div><p>OHSP OVERHEAD PANEL, SECTIONAL</p></div></div>																
GENERAL NOTES FOR DOORS & FRAMES																
<div><div>DIMENSIONS:<ul style="list-style-type: none">DIMENSIONS INDICATED ON PLANS AND SCHEDULE ARE NOMINAL. COORDINATE PRIOR TO FABRICATION.</div><div>FIRE RATING:<ul style="list-style-type: none">FIRE RATINGS OF DOORS AND FRAMES SHALL COMPLY WITH APPLICABLE CODES AND REGULATIONS. FIRE DOORS SHALL BE LABELED BY AN APPROVED AGENCY.ALL DOORFRAMES AND HARDWARE SHALL HAVE SAME FIRE RATING AS DOOR HUNG WITHIN THEM.LEGEND FOR RATING OF DOORS: 20M — 20 MINUTE RATED DOOR</div><div>GLAZING:<ul style="list-style-type: none">GLAZING IN EXTERIOR DOORS SHALL BE TEMPERED INSULATED GLASS (TIG) IN ACCORDANCE WITH APPLICABLE CODES AND REGULATIONS.</div><div>MISCELLANEOUS NOTES:<ul style="list-style-type: none">PROVIDE WEATHERSTRIPPING AT ALL EXTERIOR DOORS.PAINT ALL STEEL DOORS AND FRAMES SEMI-GLOSS UNLESS OTHERWISE INDICATED.MAXIMUM EXTERIOR THRESHOLD HEIGHT TO BE 3/4"HC UNDER MATERIAL COLUMN INDICATES HOLLOW CORE EMBOSSED MASONITE.</div><div>SPECIFIC NOTES FOR DOOR AND FRAMES(THESE NOTES TO BE INDICATED IN THE REMARKS COLUMN OF THE DOOR SCHEDULE)<ol style="list-style-type: none">WITH TRANSOMPROVIDE KICKPLATE</div></div>																

DOOR SYMBOL LEGEND	
FOR RESIDENTIAL UNIT DOORS:	
SPACE NAME INITIAL	→ E1 → DOOR DESIGNATION
SPACE NAME INITIAL	E ENTRY P PATIO/DECK B BEDROOM F FLEX ROOM BR BATHROOM M MECHANICAL C WALK IN CLOSET, CLOSET WD WASHER/DRYER ROOM EV OPT. ELEVATOR G GARAGE ST STAIRS
DOOR DESIGNATION:	1, 2, 3, ETC. DOOR TYPE DESIGNATION
THRESHOLD TYPES	
TAE — 5" ALUM EXTERIOR THRESHOLD (PEMKO MODEL #2005 AT - OR EQUAL)	
TM — 3" WIDE X 1/4" HIGH MARBLE THRESHOLD	
TVR — VINYL CARPET REDUCING STRIP	
HARDWARE GROUP	
H1 — ENTRY SET	
H2 — PRIVACY SET	
H3 — PRIVACY SET - SPLIT FINISH	
H4 — PASSAGE SET	
H5 — PASSAGE SET - LEVER ONE SIDE	
ALL HARDWARE TO BE LEVER HANDLE	

WINDOW TYPES																
<div><div><p>H1</p></div><div><p>H2</p></div><div><p>H3 TIG</p></div><div><p>H4</p></div><div><p>H5</p></div></div> <div><div><p>C1</p></div><div><p>F1</p></div><div><p>A1</p></div></div>																
WINDOW NOTES																
<div>GENERAL NOTES FOR WINDOWS<ol style="list-style-type: none">WINDOW DIMENSIONS INDICATED ON PLANS AND SCHEDULES ARE NOMINAL. COORDINATE DIMENSIONS PRIOR TO FABRICATION AND CONSTRUCTION.TEMPERED SAFETY GLASS:<ol style="list-style-type: none">PROVIDE TEMPERED GLASS AND TEMPERED INSULATED GLASS IN ACCORDANCE WITH APPLICABLE CODES & REGULATIONS AND AS SHOWN ON DRAWINGS.SUBFRAMES:<ol style="list-style-type: none">PROVIDE HEAD SUBFRAMES AT WINDOWS.PROVIDE JAMB SUBFRAMES AT WINDOWS.PROVIDE SILL SUBFRAMES AT WINDOWS.PROVIDE EGRESS WINDOWS IN ACCORDANCE WITH APPLICABLE CODES AND REGULATIONS.</div> <div>LEGEND FOR TYPES OF EXTERIOR WINDOWS.<p>A — AWNING F — FIXED PANEL H — HUNG WINDOW C — CASEMENT TIG — TEMPERED INSULATED GLASS</p></div>																

